

ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

	SERVICES : - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.efltcb.com	ACCREDITATIONS :   
--	---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-1	Report Date	30.05.2025		
CUSTOMER DETAILS					
Name & Address of the Customer/Company		M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India			
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity	50.0 ml		
Customer Code	Floor Cleaner - 270	Laboratory Code	EFLT/OA/2025/0244		
Sample Collected On	24.05.2025	Sample Collected By	Customer		
Sample Received On	26.05.2025	Analysis Started Date	26.05.2025		
Received Condition	Good	Analysis Completed Date	30.05.2025		
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Odour	IS 14364 : 1996	Qualitative	Pleasant	Pleasant/Odourless
2.	Colour	IS 14364 : 1996	Qualitative	White	Colourless/colored
3.	Sedimentation @ 10°C	IS 14364 : 1996	Qualitative	Passes test	No sedimentation
4.	Cloudiness @ 45°C	IS 14364 : 1996	Qualitative	Passes test	No Cloudiness
5.	Cleaning property	IS 14364 : 1996	Qualitative	Passes test	Clean the sample
6.	Crawling test	IS 14364 : 1996	Qualitative	Passes test	No crawling
7.	Spots test after drying	IS 14364 : 1996	Qualitative	No spots	No Spots after Drying
8.	Film deposition test	IS 14364 : 1996	Qualitative	No deposition	No Deposition
9.	Total Non-volatile matter	IS 14364 : 1996	%	4.26	Minimum 4.00
10.	pH@25°C	IS 14364 : 1996		6.74	5.00 to 7.00
11.	Active compound	IS 14364 : 1996	%	0.63	Minimum 0.50

End of Report

S.P. Mohanraj
 Authorized Signatory
 Technical Manager
 S.P.Mohanraj



ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

	SERVICES : - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.efltcb.com	ACCREDITATIONS :   
--	---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-2	Report Date	30.05.2025		
CUSTOMER DETAILS					
Name & Address of the Customer/Company		M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India			
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity	5.21 g		
Customer Code	Hand Wash	Laboratory Code	EFLT/FA/2025/0245		
Sample Collected On	24.05.2025	Sample Collected By	Customer		
Sample Received On	26.05.2025	Analysis Started Date	26.05.2025		
Received Condition	Good	Analysis Completed Date	30.05.2025		
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Odour	IS 4199	Qualitative	No foul odour	No foul odour
2.	Homogeneous stability	IS 4199	Qualitative	Stable	Stable & homogenous
3.	Sedimentation @ 5°C	IS 4199	Qualitative	Passes test	No sedimentation
4.	Lathering test	IS 4199	Qualitative	Passes test	Good lathering capacity
5.	Cleaning property	IS 4199	Qualitative	Passes test	Good Cleaning capacity
6.	Active component	IS 4199	%	0.27	Maximum 0.75
7.	Synthetic detergent	IS 4199	%	1.03	Maximum 2.00
8.	Matter insoluble in alcohol	IS 4199	%	2.36	Maximum 5.0
9.	Free caustic alkalinity	IS 4199	%	0.002	Maximum 0.03
10.	Efficiency	IS 4199	%	92.2	Minimum 90.0
11.	TPC	IS 14648	CFU/g	Absent	Maximum 1000.0
12.	E.Coli	IS 14648	CFU/g	Absent	Absent
13.	Staphylococcus Aureus	IS 14648	CFU/g	Absent	Absent
14.	Yeast & Mould	IS 14648	CFU/g	Absent	Maximum 100.0

End of Report



S.P. 
 Authorized Signatory
 Technical Manager
 S.P.Mohanraj

ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

	SERVICES : - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.efltcb.com	ACCREDITATIONS :   
--	---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-3	Report Date	30.05.2025		
CUSTOMER DETAILS					
Name & Address of the Customer/Company		M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India			
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity	3.67 g		
Customer Code	Toilet Cleaner	Laboratory Code	EFLT/FA/2025/0246		
Sample Collected On	24.05.2025	Sample Collected By	Customer		
Sample Received On	26.05.2025	Analysis Started Date	26.05.2025		
Received Condition	Good	Analysis Completed Date	30.05.2025		
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Homogeneous stability	IS 7983 : 1994	Qualitative	Homogenous	Should be Homogenous
2.	Suitably coloured	IS 7983 : 1994	Qualitative	Passes test	Suitably coloured
3.	Active ingredient	IS 7983 : 1994	%	7.11	Maximum 10.0
4.	Sediment content	IS 7983 : 1994	%	0.01	Maximum 0.10
5.	Rust stains removal	IS 7983 : 1994	Qualitative	Passes test	Efficacy within 5 minutes
6.	Lime scales removal	IS 7983 : 1994	%	0.36	Maximum 1.00
7.	Effect on Porcelain Enamel	IS 7983 : 1994	Qualitative	No etching	No etching effect
8.	Corrosion Inhibition losses	IS 7983 : 1994	%	0.0001	Maximum 0.15

End of Report

S.P. Mohanraj
Authorized Signatory
Technical Manager
S.P.Mohanraj



ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

	SERVICES : - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.efltcbce.com	ACCREDITATIONS :   
--	---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-4		Report Date	30.05.2025	
CUSTOMER DETAILS					
Name & Address of the Customer/Company			M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India		
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity	4.62 g		
Customer Code	Toilet Cleaner -Diamond	Laboratory Code	EFLT/FA/2025/0246		
Sample Collected On	24.05.2025	Sample Collected By	Customer		
Sample Received On	26.05.2025	Analysis Started Date	26.05.2025		
Received Condition	Good	Analysis Completed Date	30.05.2025		
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Homogeneous stability	IS 7983 : 1994	Qualitative	Homogenous	Should be Homogenous
2.	Suitably coloured	IS 7983 : 1994	Qualitative	Passes test	Suitably coloured
3.	Active ingredient	IS 7983 : 1994	%	7.63	Maximum 10.0
4.	Sediment content	IS 7983 : 1994	%	0.023	Maximum 0.10
5.	Rust stains removal	IS 7983 : 1994	Qualitative	Passes test	Efficacy within 5 minutes
6.	Lime scales removal	IS 7983 : 1994	%	0.42	Maximum 1.00
7.	Effect on Porcelain Enamel	IS 7983 : 1994	Qualitative	No etching	No etching effect
8.	Corrosion Inhibition losses	IS 7983 : 1994	%	0.0013	Maximum 0.15

End of Report

S.P. Mohanraj

Authorized Signatory
Technical Manager
S.P.Mohanraj



ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

	SERVICES : - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.eftlcb.com	ACCREDITATIONS :   
--	---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-5		Report Date	30.05.2025	
CUSTOMER DETAILS					
Name & Address of the Customer/Company			M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India		
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity	48.6 ml		
Customer Code	Magic Gel -Hard Surface Cleaner	Laboratory Code	EFLT/OA/2025/0247		
Sample Collected On	24.05.2025	Sample Collected By	Customer		
Sample Received On	26.05.2025	Analysis Started Date	26.05.2025		
Received Condition	Good	Analysis Completed Date	30.05.2025		
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Odour	IS 14364 : 1996	Qualitative	Pleasant	Pleasant/Odourless
2.	Colour	IS 14364 : 1996	Qualitative	Pink	Colourless/colored
3.	Sedimentation @ 10°C	IS 14364 : 1996	Qualitative	No sedimentation	No sedimentation
4.	Cloudiness @ 45°C	IS 14364 : 1996	Qualitative	No cloudiness	No Cloudiness
5.	Cleaning property	IS 14364 : 1996	Qualitative	Cleaned sample	Clean the sample
6.	Crawling test	IS 14364 : 1996	Qualitative	No crawling	No crawling
7.	Spots test after drying	IS 14364 : 1996	Qualitative	No spots after drying	No Spots after Drying
8.	Film deposition test	IS 14364 : 1996	Qualitative	No deposition	No Deposition in surface
9.	Total Non-volatile matter	IS 14364 : 1996	%	5.03	Minimum 4.00
10.	pH@25°C	IS 14364 : 1996		6.86	5.00 to 7.00
11.	Active compound	IS 14364 : 1996	%	0.84	Minimum 0.50

End of Report



S.P. Mohanraj
 Authorized Signatory
 Technical Manager
 S.P.Mohanraj



ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

 SERVICES : <ul style="list-style-type: none"> - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services 	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.eftlcb.com	ACCREDITATIONS :   
---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-6		Report Date	30.05.2025	
CUSTOMER DETAILS					
Name & Address of the Customer/Company			M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India		
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity		45.3 ml	
Customer Code	Glass cleaner	Laboratory Code		EFLT/OA/2025/0248	
Sample Collected On	24.05.2025	Sample Collected By		Customer	
Sample Received On	26.05.2025	Analysis Started Date		26.05.2025	
Received Condition	Good	Analysis Completed Date		30.05.2025	
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Odour	IS: 8540 : 1986	Qualitative	No bad odour	Disagreeable Odour
2.	Colour	IS: 8540 : 1986	Qualitative	Stable colour	Stable colour
3.	Appearance	IS: 8540 : 1986	Qualitative	Clear liquid	Clear form
4.	Shaking homogeneity	IS: 8540 : 1986	Qualitative	Homogenous	Homogenous on shaking
5.	Stability	IS: 8540 : 1986	Qualitative	Stable	Stable @ normal condition
6.	Removability test	IS: 8540 : 1986	Qualitative	Passes test	Removable after 5 minutes
7.	Surface clean ability	IS: 8540 : 1986	Qualitative	Passes test	Should clean surface
8.	Visible corrosion	IS: 8540 : 1986	Qualitative	Passes test	not produce visible corrosion
9.	Water content	IS: 8540 : 1986	%	75.6	Maximum 88.0
10.	pH@25°C	IS: 8540 : 1986		8.13	7.00 to 10.0
11.	Nonvolatile compound	IS: 8540 : 1986	%	0.31	Maximum 1.00
12.	Flash point	IS: 8540 : 1986	°C	0.31	Minimum 27°C
13.	Layers On Separation	IS: 8540 : 1986	Qualitative	Passes test	No Separation of Layers

End of Report



S.P. Mohanraj
 Authorized Signatory
 Technical Manager
 S.P.Mohanraj

ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

	SERVICES : - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.eftlcb.com	ACCREDITATIONS :   
--	---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-7		Report Date	30.05.2025	
CUSTOMER DETAILS					
Name & Address of the Customer/Company			M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India		
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity	3.93 g		
Customer Code	Dish wash	Laboratory Code	EFLT/OA/2025/0249		
Sample Collected On	24.05.2025	Sample Collected By	Customer		
Sample Received On	26.05.2025	Analysis Started Date	26.05.2025		
Received Condition	Good	Analysis Completed Date	30.05.2025		
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Active matter	IS 6047:2009	%	9.03	Minimum 9.0
2.	Active alkalinity	IS 6047:2009	ml	5.36	Maximum 20.0
3.	Matter insoluble in alcohol	IS 6047:2009	%	66.7	Maximum 80.0
4.	Moisture	IS 6047:2009	%	16.7	-
5.	Cleaning efficacy 5g sample	IS 6047:2009	No's	5.0	Minimum 3.0
6.	Tough soil cleaning	IS 6047:2009	%	21.1	Minimum 20.0
7.	Surface damage	IS 6047:2009	%	0.11	Maximum 1.0

End of Report

S.P. Mohanraj
 Authorized Signatory
 Technical Manager
 S.P.Mohanraj



ENVIRO FARMERS LABS & TESTING SERVICES (OPC) PRIVATE LIMITED

	SERVICES : - Water and Wastewater Testing - Environmental Monitoring & Testing - Testing of Food and Food Products - Soil, Compost & Solid Waste Testing - Microbial Testing Services - All Other Environmental Testing Services	CONTACT US : Address : No-2/83, Avinashi Main Road, Chinnampalayam Post, Suler Taluk, Coimbatore - 641062, Tamilnadu, India. Phone : + 91 9042855456 + 91 7530035465 + 91 9952855456 + 91 7530035470 E-Mail : envirofarmerslabtech@gmail.com Website : www.eftlcb.com	ACCREDITATIONS :   
--	---	---	--

TEST REPORT FOR SAMPLE ANALYSIS					
Report Code	EFLTTC13268250244-8		Report Date	30.05.2025	
CUSTOMER DETAILS					
Name & Address of the Customer/Company			M/s. AALOK AGENCY, 40/31, Clements Road, Behind Saravana Store, Purasaiwakkam, Chennai- 600007, Tamilnadu, India		
DETAILS OF SAMPLE					
Nature of Sample	Product	Sample Quantity	4.23 g		
Customer Code	Liquid Detergent	Laboratory Code	EFLT/OA/2025/0250		
Sample Collected On	24.05.2025	Sample Collected By	Customer		
Sample Received On	26.05.2025	Analysis Started Date	26.05.2025		
Received Condition	Good	Analysis Completed Date	30.05.2025		
TEST REPORT PARTICULARS					
S.no	Parameters	Test Method	Unit	Result	Standard
1.	Active ingredient	IS 4956:2002	Qualitative	Sodium salt	Sodium salt of alkyl
2.	Visible dirt	IS 4956:2002	Qualitative	Absent	Must be absent
3.	Impurities	IS 4956:2002	Qualitative	Absent	Absent
4.	Odour	IS 4956:2002	Qualitative	No bad odour	No foul odour
5.	Cleaning property	IS 4956:2002	Qualitative	Good	Good
6.	Phosphate material	IS 4956:2002	Qualitative	Not detected	Absent
7.	Moisture content	IS 4956:2002	%	63.2	-
8.	Active material	IS 4956:2002	%	21.5	Minimum 20.0
9.	Clear point	IS 4956:2002	oC	63.2	Maximum 10.0
10.	pH@25°C	IS 4956:2002		6.97	6.00 to 8.00
11.	Matter insoluble in water	IS 4956:2002	%	Absent	Nil

End of Report



S.P. Mohanraj
Authorized Signatory
Technical Manager
S.P.Mohanraj